Acetaldehyde

CAROLINA® www.carolina.com

Product Description

Product Name: Recommended Use: Synonyms: Distributor:

Section 1

Acetaldehyde Science education applications Acetic Aldehyde, Ethanal, Ethyl Aldehyde Carolina Biological Supply Company 2700 York Road, Burlington, NC 27215 1-800-227-1150 800-227-1150 (8am-5pm (ET) M-F) 800-424-9300 (Transportation Spill Response 24 hours)

Chemical Information: Chemtrec:

Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;



Section 2



Extremely flammable liquid and vapor. Causes serious eye irritation. May cause respiratory irritation. May cause cancer. Harmful to aquatic life.

GHS Classification:

Flammable Liquid Category 1, Carcinogenicity Category 1A, Serious Eye Damage/Eye Irritation Category 2A, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 3, Hazardous to the aquatic environment - Acute Category 3, Acute Toxicity - Inhalation Vapor Category 5, Acute Toxicity - Dermal Category 5

Other Safety Precautions:

IF exposed or concerned: Get medical advice/attention.

Acute Toxicity Oral Contains

100 % of the mixture consists of ingredient(s) of unknown toxicity Composition / Information on Ingredients

First Aid Measures

Section 3

Chemical Name

<u>CAS #</u> 75-07-0

Section 4

Acetaldehyde

Emergency and First Aid Procedures

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with
water/shower.
If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Section 5

Firefighting Procedures

Extinguishing Media:	Use dry chemical, CO2 or appropriate foam.
Fire Fighting Methods and Protection:	Firefighters should wear full protective equipment and NIOSH approved self-contained
	breathing apparatus.
Fire and/or Explosion Hazards:	Vapors may travel back to ignition source. Closed Containers exposed to heat may explode.
Hazardous Combustion Products:	Carbon dioxide, Carbon monoxide

%

100

Section 6		Spill or Leak P	rocedures				
Steps to Take in Released or Spill		equipment recommendations needs must be evaluated base circumstances created by the area in which the spill occurre spill. Never exceed any occup Isolate area. Keep unnecessa Prevent the spread of any spil to do so. Wear complete and recommendation of Section 8	sposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section 8 of this SDS. Personal protective equipment teds must be evaluated based on information provided on this sheet and the special cumstances created by the spill including; the material spilled, the quantity of the spill, the ea in which the spill occurred, and the expertise of employees in the area responding to the ill. Never exceed any occupational exposure limits. Ventilate the contaminated area. Date area. Keep unnecessary personnel away. event the spread of any spill to minimize harm to human health and the environment if safe do so. Wear complete and proper personal protective equipment following the commendation of Section 8 at a minimum. Dike with suitable absorbent material like anulated clay. Gather and store in a sealed container pending a waste disposal evaluation.				
Section 7		Handling and	d Storage				
Handling:	Obtain special instructions before use. Do not handle until all safety precautions have been read and unde Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting// equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid bre dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection personal protective equipment as required. Keep out of the reach of children. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Wear suitable protective clother equipment.			losed. ing// e. Avoid breathing ill-ventilated area. e protection. Use sources of			
Storage:	and gloves. Keep container tightly closed. Store in a well-ventilated place. Keep container tightly closed. Store in a well- ventilated place. Keep cool. Store locked up. This material should be kept in an area suitable for the storage of flammable liquids. Store away from oxidizing agents, sparks and flame.						
Storage Code:		. Store in approved flammable			ls.		
Section 8		Protection In	formation				
<u>Chemical Name</u> Acetaldehyde		ACGIH (TWA) N/A	l (STEL) N/A	<u>OSHA P</u> <u>(TWA)</u> 200 ppm TWA; 360 mg/m3 TWA	<u>EL</u> (STEL) N/A		
Control Parameter Engineering Mea		Local exhaust ventilation handling or using this pro		ing controls are normally req	uired when		
Personal Protective Equipment (PPE): Respiratory Protection: Respirator Type(s): Eye Protection:): Lab coat, apron, eye was No respiratory protection approved respirator if leve NIOSH approved full-face	Lab coat, apron, eye wash, safety shower. No respiratory protection required under normal conditions of use. Wear a NIOSH approved respirator if levels above the exposure limits are possible. NIOSH approved full-face respirator as a minimum. Wear chemical splash goggles when handling this product. Have an eye wash station				
Skin Protection:		available. Avoid skin contact by wea equipment depending upo					

Gloves:

Section 9

Physical Data

Formula: CH3CHO Molecular Weight: 44.05 Appearance: Colorless Liquid Odor: Moderate Fruity Pungent Odor Threshold: 0.087 ppm OT (Katz and Talbert); 0.12 mg/m3 OT (Katz and Talbert) pH: No data available Melting Point: No data available -123 C Boiling Point: No data available 20 C

work. Butyl rubber

> Vapor Pressure: 1006 hPa @ 20°C Evaporation Rate (BuAc=1): 49.1 Vapor Density (Air=1): 1.52 Specific Gravity: 0.7834 @ 18°C Solubility in Water: Soluble

other exposed areas with mild soap and water before eating, drinking, and when leaving

Log Pow (calculated): No data available Autoignition Temperature: No data available 175 C Decomposition Temperature: No data available

Flash Point: No data available Flammable Limits in Air: 4.1% 55% Viscosity: No data available Percent Volatile by Volume: 100%

Section 10

Reactivity Data

Reactivity: No data available Chemical Stability: Stable under normal conditions. May form explosive peroxides Conditions to Avoid: Sparks, open flame, other ignition sources, and elevated temperatures. **Incompatible Materials:** Strong reducing agents, Strong oxidizing agents, Acids, Alcohols, Amines, Ammonia, Halogens, Caustics (bases) Hazardous Polymerization: Will not occur Section 11 Toxicity Data **Routes of Entry** Inhalation, Ingestion, and Skin contact. Symptoms (Acute): Respiratory disorders **Delayed Effects:** No data available Acute Toxicity: **Chemical Name CAS Number** Oral LD50 Dermal LD50 Inhalation LC50 Acetaldehyde 75-07-0 Not determined Dermal LD50 INHALATION Rabbit 3540 mg/kg LC50 Mouse 20300 MG/M3 INHALATION LC50 MAMMAL 20100 MG/M3

Carcinogenicity: Chemical Name Acetaldehyde	CAS Number 75-07-0	IARC Listed	NTP Listed	OSHA Listed
Chronic Effects: Mutagenicity:	No evidence of a mutagenic effect.			

Teratogenicity:	No evidence of a teratogenic effect (birth defect).
Sensitization:	No evidence of a sensitization effect.
Reproductive:	No evidence of negative reproductive effects.
Target Organ Effects:	
Acute:	See Section 2
Chronic:	Mutation data cited., Reproductive data cited., Tests on laboratory animals indicate material may produce adverse mutagenic and reproductive effects.

Section 12

Overview:	Moderate ecological hazard. toxic to fish and other water of	This product may be dangerous to plants and/or wildlife. Highly/very
Mobility: Persistence: Bioaccumulation: Degradability: Other Adverse Effects:	No data No data No data No data No data No data	
Chemical Name Acetaldehyde	CAS Number 75-07-0	Eco Toxicity 96 HR LC50 LEPOMIS MACROCHIRUS 53 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 48.3 MG/L 120 HR EC50 NITZSCHIA LINEARIS 237 - 249 MG/L

Section 13

Disposal Information

Ecological Data

Disposal Methods:

Dispose in accordance with all applicable Federal, State and Local regulations. Always contact a permitted waste disposer (TSD) to assure compliance.

INHALATION LC50 HAMSTER 17000 ppm

Waste Disposal Code(s):

The waste is ignitable. The waste is a listed hazardous waste.

Section 14

Transport Information

Ground - DOT Proper Shipping Name:

UN1089 Ethanal Hazard Class = 3 P.G. I 1000 lb RQ (454 kg RQ)

Air - IATA Proper Shipping Name:

UN number: 1089 Class: 3 Packing group: I Proper shipping name: Acetaldehyde IATA Passenger: Not permitted for transport

Section 15

TSCA Status:

Regulatory Information

All components in this product are on the TSCA Inventory.

Chemical Name	CAS Number	§ 313 Name	§ 304 RQ	CERCLA RQ	§ 302 TPQ	CAA 112(2) TQ
Acetaldehyde	75-07-0	Acetaldehyde	1000 lb RQ	1000 lb final RQ; 454 kg final RQ	No	No

California Prop 65:

Section 16

WARNING: This product contains a chemical known to the state of California to cause cancer, birth defects or other reproductive harm.

Additional Information

Revised: 09/09/2015

Replaces: 09/03/2014

Printed: 10-29-2015

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

ACGIH	American Conference of Governmental	NTP	National Toxicology Program
	Industrial Hygienists	OSHA	Occupational Safety and Health Administration
CAS	Chemical Abstract Service Number	PEL	Permissible Exposure Limit
CERCLA	Comprehensive Environmental Response,	ppm	Parts per million
	Compensation, and Liability Act	RCRA	Resource Conservation and Recovery Act
DOT	U.S. Department of Transportation	SARA	Superfund Amendments and Reauthorization Act
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
N/A	Not Available	TSCA	Toxic Substances Control Act
		IDLH	Immediately dangerous to life and health