

**MATERIAL SAFETY DATA SHEET**

**SECTION 1: IDENTIFICATION**

**Product identifier** : **WHITE LITHIUM GREASE**

**Product Use** : Lubricant.

**Chemical Family** : Mixture of: Petroleum oil; metal oxides; titanium compound.

**Manufacturer part no.** : L666

**Supplier's name and address:** **Radiator Specialty Co., of Canada**  
 1711 Aimco Blvd.  
 Mississauga, ON, Canada  
 L4W 1H7

**Manufacturer's name and address:**  
 Refer to Supplier

**Information Telephone #** : (905) 625-9117 (Monday - Friday, 8AM - 4PM)

**24 Hr. Emergency Tel #** : 613-996-6666 (CANUTEC)

**SECTION 2 - HAZARDS IDENTIFICATION**

**Classification** : WHMIS information: This product is not a WHMIS controlled product in Canada. It does not meet any of the criteria for a controlled product provided in Part IV of the Controlled Products Regulations (CPR).

Labelling: This product is not a WHMIS controlled product in Canada. As such, this product does not require a WHMIS Supplier label.

**Emergency Overview** : White grease. Petroleum odor.  
 Caution! May be harmful if inhaled or swallowed. Prolonged or repeated skin contact may cause drying and irritation.

Contains material that may be harmful in the environment.

**POTENTIAL HEALTH EFFECTS:**

**Signs and symptoms of short-term (acute) exposure**

*Inhalation* : If product is heated or mists are formed, inhalation may cause irritation to the nose, throat and respiratory tract. Inhalation of fumes may result in metal fume fever, a flu-like illness. Symptoms of metal fume fever may include fever, fatigue, vomiting, muscle aches and shortness of breath.

*Skin* : Direct skin contact may result in little or no irritation.

*Eyes* : May cause mild transient irritation.

*Ingestion* : May be harmful if swallowed. May cause nausea, vomiting, and diarrhea.

**Effects of long-term (chronic) exposure**

: Prolonged or repeated skin contact may cause drying and irritation.

**Carcinogenic status** : See TOXICOLOGICAL INFORMATION, Section 11.

**Additional health hazards** : See TOXICOLOGICAL INFORMATION, Section 11.

**Potential environmental effects**  
 : This product contains marine pollutants. See ECOLOGICAL INFORMATION, Section 12.

**SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

<b>Ingredients</b>	<b>CAS #</b>	<b>Wt.%</b>
Hydrotreated heavy naphthenic distillate	64742-52-5	60.00 - 100.00
Titanium dioxide	13463-67-7	1.00 - 5.00
Zinc oxide	1314-13-2	1.00 - 5.00

**SECTION 4 - FIRST AID MEASURES**

- Inhalation** : If breathed in, move person into fresh air. Seek medical attention if respiratory irritation occurs, or if breathing is difficult.
- Skin contact** : For skin contact, wash with soap and water while removing contaminated clothing. If irritation persists, seek prompt medical attention.
- Eye contact** : Immediately flush eyes with running water for at least 15 minutes. If irritation persists, seek prompt medical attention.
- Ingestion** : Do not induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician.
- Notes For Physician** : Treat symptomatically.

**SECTION 5 - FIRE FIGHTING MEASURES****Fire hazards/conditions of flammability**

- : Not flammable under normal conditions of handling. However, may ignite if exposed to extreme heat and flame. Closed containers may rupture if exposed to excess heat or flame due to a build-up of internal pressure. Material will float on water and can be re-ignited at the water's surface. Vapours are heavier than air and collect in confined and low-lying areas.

**Oxidizing properties** : None known.

**Explosion data: Sensitivity to mechanical impact / static discharge**

- : Not expected to be sensitive to mechanical impact or static discharge.

**Suitable extinguishing media** : Dry chemical, foam, carbon dioxide and water fog. Do not use water jet, as this may spread burning material.

**Special fire-fighting procedures/equipment**

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame.

**Hazardous combustion products**

- : Carbon oxides; Sulphur oxides; Nitrogen oxides; Phosphorus compounds; Polycyclic aromatic hydrocarbons; Other unidentified organic compounds.

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

- Personal precautions** : All persons dealing with the clean-up should wear the appropriate chemically protective equipment. Refer to protective measures listed in sections 7 and 8. Keep all other personnel upwind and away from the spill/release. Restrict access to area until completion of clean-up. Material can create slippery conditions. Use non-slip safety shoes in areas where spills or leaks can occur.
- Environmental precautions** : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.
- Spill response/cleanup** : Ventilate area of release. Remove all sources of ignition. Scrape up product and place it into a container for disposal. Absorb material with inert absorbent, and place into labelled containers for disposal. Refer to Section 13 for disposal of contaminated material. Notify the appropriate authorities as required. Wash area to prevent slipping. The contaminated water must be collected and removed for treatment or disposal.
- Prohibited materials** : Do not use combustible absorbents, such as sawdust.

**SECTION 7 - HANDLING AND STORAGE**

- Safe Handling procedures** : Use with adequate ventilation. Wear suitable protective equipment during handling. Avoid breathing vapors, fumes or dust. Avoid contact with skin, eyes and clothing. Keep away from extreme heat and flame. Avoid contact with incompatible materials. Wash thoroughly after handling.
- Storage requirements** : Store in a cool, dry, well-ventilated area. Keep away from heat. Keep away from incompatibles. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. Inspect periodically for damage or leaks.
- Incompatible materials** : Strong oxidizing agents; Acids; Reactive metals.
- Special packaging materials** : Always keep in containers made of the same materials as the supply container.

**SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION**

<u>Ingredients</u>	<u>ACGIH TLV</u>		<u>OSHA PEL</u>	
	<u>TWA</u>	<u>STEL</u>	<u>PEL</u>	<u>STEL</u>
Hydrotreated heavy naphthenic distillate	5mg/m <sup>3</sup> (inhalable) (As 'Oil mist, mineral')	N/Av	5mg/m <sup>3</sup> (As 'Oil mist, mineral')	N/Av
Titanium dioxide	10 mg/m <sup>3</sup>	N/Av	15 mg/m <sup>3</sup> (total dust)	N/Av
Zinc oxide	2 mg/m <sup>3</sup> (respirable)	10 mg/m <sup>3</sup> (respirable)	5 mg/m <sup>3</sup> (fume); 15 mg/m <sup>3</sup> (total dust); 5 mg/m <sup>3</sup> (respirable)	N/Av

**Ventilation and engineering measures**

: General room ventilation is normally adequate. Provide mechanical ventilation in confined spaces.

**Respiratory protection**

: None required under normal conditions. If the TLV is exceeded, a NIOSH/MSHA-approved respirator is advised. Advice should be sought from respiratory protection specialists.

**Skin protection**

: Chemical-resistant impervious gloves, such as Neoprene or nitrile rubber, should be worn where skin contact is a risk. Advice should be sought from glove suppliers. Wear sufficient clothing to prevent skin contact.

**Eye / face protection**

: Safety goggles or glasses as appropriate for the job.

**Other protective equipment**

: An eyewash station and safety shower should be made available in the immediate working area.

**General hygiene considerations**

: Avoid breathing vapors, fumes or dust. Avoid contact with skin, eyes and clothing. Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after using this product, and before eating, drinking or smoking. Remove soiled clothing and wash it thoroughly before reuse.

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical state</b>	: Grease.	<b>Appearance</b>	: White grease.
<b>Odour</b>	: Petroleum odor.	<b>Odour threshold</b>	: N/Av
<b>pH</b>	: N/Av		
<b>Boiling point</b>	: N/Av	<b>Specific gravity</b>	: 0.89
<b>Melting/Freezing point</b>	: N/Av	<b>Coefficient of water/oil distribution</b>	: N/Av
<b>Vapour pressure (mmHg @ 20° C / 68° F)</b>	: < 0.1	<b>Solubility in water</b>	: Insoluble.
<b>Vapour density (Air = 1)</b>	: > 5	<b>Evaporation rate (n-Butyl acetate = 1)</b>	: < 0.01
<b>Volatile organic Compounds (VOC's)</b>	: N/Av	<b>Volatiles (% by weight)</b>	: N/Av
<b>Flash point</b>	: 224°C (435°F)		
<b>Flash point Method</b>	: Cleveland Open Cup	<b>Auto-ignition temperature</b>	: N/Av
<b>Lower flammable limit (% by vol.)</b>	: N/Av	<b>Upper flammable limit (% by vol.)</b>	: N/Av
<b>Flame Projection Length</b>	: N/Av	<b>Flashback observed</b>	: N/Av
<b>Absolute pressure of container</b>	: N/Av	<b>Viscosity</b>	: N/Av
<b>General Information</b>	: No additional information.		

**Section 10: STABILITY AND REACTIVITY**

<b>Stability and reactivity</b>	: Stable under the recommended storage and handling conditions prescribed.
<b>Hazardous polymerization</b>	: Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	: Avoid heat and open flame.

**Materials To Avoid And Incompatibility**

: Strong oxidizing agents; Strong acids; Reactive metals.

**Hazardous decomposition products**

: None known, refer to hazardous combustion products in Section 5.

**SECTION 11 - TOXICOLOGICAL INFORMATION**

- Target organs** : Eyes, skin, respiratory system and digestive system.
- Routes of exposure** : *Inhalation:* YES *Skin Absorption:* NO *Skin & Eyes:* YES *Ingestion:* YES
- Irritancy** : May be mildly irritating to eyes and skin.
- Toxicological data** : There is no available data for the product itself, only for the ingredients. See below for individual ingredient acute toxicity data.

<u>Ingredients</u>	<u>LC<sub>50</sub>(4hr)</u> <u>inh, rat</u>	<u>LD<sub>50</sub></u>	
		<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Hydrotreated heavy naphthenic distillate	> 5 mg/L (mist)	> 5000 mg/kg	> 2000 mg/kg
Titanium dioxide	> 6820 mg/m <sup>3</sup>	> 25,000 mg/kg	> 10,000 mg/kg
Zinc oxide	N/Av	> 5000 mg/kg	N/Av

- Carcinogenic status** : This product contains titanium dioxide, an IARC Group 2B carcinogen. However, the Titanium dioxide used in this product is in a non-respirable form and under normal conditions of use, Titanium dioxide cannot become airborne. The carcinogenic effects of Titanium dioxide are therefore not applicable to this product. No other components are classified as carcinogenic by IARC, ACGIH, OSHA or NTP.
- Reproductive effects** : Not expected to cause reproductive effects.
- Teratogenicity** : Not expected to be a teratogen.
- Mutagenicity** : Not expected to be mutagenic in humans.
- Epidemiology** : None known or reported by the manufacturer.
- Sensitization to material** : Not expected to be a skin or respiratory sensitizer.
- Synergistic materials** : None known or reported by the manufacturer.
- other important hazards** : None known or reported by the manufacturer.
- Conditions aggravated by overexposure** : None known or reported by the manufacturer.

**SECTION 12 - ECOLOGICAL INFORMATION**

- Ecotoxicity** : Toxic to aquatic life with long lasting effects. The ecological characteristics of this product have not been fully investigated. The product should not be allowed to enter drains or water courses, or be deposited where it can affect ground or surface waters.
- This product contains marine pollutants. The product contains the following substances which are hazardous for the environment: Zinc oxide.
- See the following tables for individual ingredient ecotoxicity data.

**Ecotoxicity data:**

<u>Ingredients</u>	<u>CAS No</u>	<u>Toxicity to Fish</u>		
		<u>LC50 / 96h</u>	<u>NOEC / 21 day</u>	<u>M Factor</u>
Hydrotreated heavy naphthenic distillate	64742-52-5	> 5000 mg/L (Rainbow trout)	N/Av	None.
Titanium dioxide	13463-67-7	240 - 370 mg/L (sheepshead minnow)	N/Av	None.
Zinc oxide	1314-13-2	1.1 mg/L (Rainbow trout)	N/Av	None.

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Hydrotreated heavy naphthenic distillate	64742-52-5	> 1000 mg/L (Daphnia magna)	N/Av	None.
Titanium dioxide	13463-67-7	N/Av	N/Av	None.
Zinc oxide	1314-13-2	0.098 mg/L (Daphnia magna)	N/Av	10

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Hydrotreated heavy naphthenic distillate	64742-52-5	> 1000 mg/L/96hr (Green algae)	N/Av	None.
Titanium dioxide	13463-67-7	N/Av	N/Av	None.
Zinc oxide	1314-13-2	0.044 mg/L/72hr (Green algae)	N/Av	10

- Mobility** : No data is available on the product itself.
- Persistence** : No data is available on the product itself.  
Contains: Zinc oxide.  
Zinc oxide is not expected to biodegrade.
- Bioaccumulation potential** : No data is available on the product itself.
- Other Adverse Environmental effects** : No data is available on the product itself.

**SECTION 13 - DISPOSAL CONSIDERATIONS**

- Handling for Disposal** : Handle waste according to recommendations in Section 7.
- Methods of Disposal** : Dispose of in accordance with federal, provincial and local hazardous waste laws.

**SECTION 14: TRANSPORT INFORMATION**

Regulatory Information	UN Number	Shipping Name	Class	Packing Group	Label
TDG	None	Not regulated.	Not regulated	none	
<b>TDG Additional information</b>	Not regulated for transport by ground, unless intended for marine transport. This product contains marine pollutants. See ECOLOGICAL INFORMATION, Section 12.				

**SECTION 15 - REGULATORY INFORMATION**

**Labelling:**

This product is not a WHMIS controlled product in Canada. As such, this product does not require a WHMIS Supplier label.

**Canadian Information:**

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

**This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.**

**US Federal Information:**

TSCA: All listed ingredients appear on the Toxic Substances Control Act (TSCA) inventory.

**SECTION 16 - OTHER INFORMATION**

**Legend** : ACGIH: American Conference of Governmental Industrial Hygienists  
 CAS: Chemical Abstract Services  
 ECOTOX: U.S. EPA Ecotoxicology Database  
 HSDB: Hazardous Substances Data Bank  
 IARC: International Agency for Research on Cancer  
 Inh: Inhalation  
 LC: Lethal Concentration  
 LD: Lethal Dose  
 MSHA: Mine Safety and Health Administration  
 N/Ap: Not Applicable  
 N/Av: Not Available  
 NIOSH: National Institute of Occupational Safety and Health  
 NTP: National Toxicology Program  
 OSHA: Occupational Safety and Health Administration  
 PEL: Permissible exposure limit  
 RTECS: Registry of Toxic Effects of Chemical Substances  
 STEL: Short Term Exposure Limit  
 TDG: Canadian Transportation of Dangerous Goods Act & Regulations  
 TLV: Threshold Limit Values  
 TWA: Time Weighted Average  
 WHMIS: Workplace Hazardous Materials Identification System

**References** : 1. ACGIH, Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices for 2014.  
 2. International Agency for Research on Cancer Monographs, searched 2014.  
 3. Canadian Centre for Occupational Health and Safety, CCIInfoWeb databases, 2014 (Chempendium, HSDB and RTECs).  
 4. Material Safety Data Sheets from manufacturer.  
 5. OECD - The Global Portal to Information on Chemical Substances - eChemPortal, 2014.

<p><b>Prepared for:</b>                  Radiator Specialty Co. of Canada                  1711 Aimco Blvd.                  Mississauga, ON, Canada, L4W 1H7                  Telephone: 905-625-9117 (Mon. - Fri., 8 AM - 4 PM)                  Please direct all enquiries to Radiator Specialty.</p>	
<p><b>Prepared by:</b>                  ICC The Compliance Center Inc.  <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p>	

**DISCLAIMER OF LIABILITY**

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by Radiator Specialty Co. of Canada and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Radiator Specialty Co. of Canada expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Radiator Specialty Co. of Canada.

**MSDS Preparation Date (mm/dd/yyyy)** : 07/03/2007

**MSDS Revision Date (mm/dd/yyyy)** : 04/24/2014

**Revision No.** : 4

**Revision Information** : (M)SDS sections updated:  
 12. ECOLOGICAL INFORMATION.