SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Barfoed's Reagent

Flinn Scientific, Inc. P.O. Box 219 Batavia, IL 60510 (800) 452-1261

CHEMTREC Emergency Phone Number: (800) 424-9300

SECTION 2 — COMPOSITION, INFORMATION ON INGREDIENTS

Copper(II) acetate (6046-93-1) 6%, Acetic acid (64-19-7) 1%, and Water (7732-18-5) 93%.

CAS#: None established

SECTION 3 — HAZARDS IDENTIFICATION

Very pale blue acidic aqueous solution. Faint vinegar-like odor. Copper(II) acetate is moderately toxic. Avoid contact with all body tissues.

SECTION 4 — FIRST AID MEASURES

Call a physician and seek medical attention for further treatment, observation, and support after first aid. Inhalation: Remove to fresh air at once. If breathing has stopped, give artificial respiration immediately. Eye or External: Immediately flush with fresh water for at least 15 minutes. Internal: Rinse mouth. Give large quantities of water for dilution. Call a physician or poison control at once.

SECTION 5 — FIRE FIGHTING MEASURES

Nonflammable, noncombustible solution.

NFPA Code None established

FLINN AT-A-GLANCE

0 is low hazard, 3 is high hazard

Health-1

Flammability-0 Reactivity-0 Exposure-1 Storage-0

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Restrict unprotected personnel from the area and ventilate area. Contain the spill with sand or other inert absorbent material and deposit in a sealed bag or container. See Sections 8 and 13 for further information.

SECTION 7 — HANDLING AND STORAGE

Flinn Suggested Chemical Storage Pattern: Inorganic #2. Store with acetates, halides, sulfates, sulfates, thiosulfates, and phosphates.

SECTION 8 — EXPOSURE CONTROLS, PERSONAL PROTECTION

Avoid contact with eyes, skin, and clothing. Wear chemical splash goggles, chemical-resistant gloves, and chemical-resistant apron.

MSDS #: 91.00 Revision Date: October 13, 2011

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

A reagent solution to detect glucose. Ingredients: copper(II) acetate, 6.7g/100 mL, acetic acid, 1 ml/100 mL, deionized water, 100 mL

SECTION 10 - STABILITY AND REACTIVITY

Shelf life: Indefinite, if stored properly.

SECTION 11 — TOXICOLOGICAL INFORMATION

Acute effects: Moderately toxic. Chronic effects: N.A. Target organs: N.A.

N.A. = Not available, not all health aspects of this substance have been fully investigated.

SECTION 12 — ECOLOGICAL INFORMATION

Data not yet available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Please review all federal, state and local regulations that may apply, before proceeding. Flinn Suggested Disposal Method #24a is one option.

SECTION 14 — TRANSPORT INFORMATION

Shipping name: Not regulated Hazard class: N/A UN number: N/A N/A = Not applicable

SECTION 15 — REGULATORY INFORMATION

Not listed.

SECTION 16 — OTHER INFORMATION

This Material Safety Data Sheet (MSDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARRANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(S).

Consult your copy of the Flinn Science Catalog/Reference Manual for additional information about laboratory chemicals.

© 2011 Flinn Scientific, Inc. All Rights Reserved.

Used to test for glucose.

ORL-RAT LD₅₀: N.A. IHL-RAT LC50: N.A. SKN-RBT LD₅₀: N.A.

pH: ~5