

Material Safety Data Sheet

May be used to comply with

OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration

(Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

IDENTITY (As Used on Label and List) SARGENT WATER COLOR CRAYONS	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

Section I

Manufacturer's Name Sargent Art, Inc.	Emergency Telephone Number 570-454-3596
Address (Number, Street, City, State, and ZIP Code) 100 E Diamond Avenue Hazleton PA 18201	Telephone Number for Information 570-454-3596 Date Prepared 09-21-2011 Signature of Preparer (optional)

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))

ALL AP PRODUCTS ARE CERTIFIED BY A NATIONALLY RECOGNIZED AUTHORITY ON TOXICOLOGY ASSOCIATED WITH A LEADING UNIVERSITY TO CONTAIN NO KNOWN TOXIC MATERIALS IN SUFFICIENT QUANTITIES TO BE INJURIOUS TO THE HUMAN BODY EVEN IF INGESTED. CONFORMS TO ASTM-D 4236

Section III - Physical/Chemical Characteristics

Boiling Point 550 - 750 deg F	Specific Gravity (H ₂ O = 1) 0.8 - 1.1
Vapor Pressure (mm Hg.) N/A	Melting Point 176° F
Vapor Density (AIR = 1) N/A	Evaporation Rate (Butyl Acetate = 1) less than 0.01

Solubility in Water	NEGLIGIBLE
Appearance and Odor	Various colors, essentially odorless

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) N/A	Flammable Limits LEL UEL NONE NONE NONE
Extinguishing Media Special Fire Fighting Procedures	CARBON DIOXIDE, FOAM, SAND NONE
Unusual Fire and Explosion Hazards	DO NOT STORE WITH STRONG OXIDIZERS

Section V - Reactivity Data

Stability	Unstable	Conditions to Avoid
	Stable	X
Incompatibility (<i>Materials to Avoid</i>) <i>oxidizers and acids</i>	<i>Strong</i> Avoid strong oxidizers and acids	

Hazardous Decomposition or Byproducts Carbon Monoxide

Hazardous Polymerization	May Occur Will Not Occur X	Conditions to Avoid Contact w/strong oxidizers. Over heating or burning may release highly irritating fumes.
---------------------------------	---	---

Section VI - Health Hazard Data

Route(s) of Entry: Inhalation? NO	Skin? No	Ingestion? Possible - See Below
--	-----------------	--

Health Hazards (Acute and Chronic)

This product is certified to contain no toxic or injurious to humans or to cause materials in sufficient quantities to be acute or chronic health problems.

Carcinogenicity: NTP? Does not apply	IARC Monographs? None	OSHA Regulated? Not Regulated
--	------------------------------	--------------------------------------

Signs and Symptoms of Exposure Does not apply

Medical Conditions Generally Aggravated by Exposure None Known

Emergency and First Aid Procedures If ingested, call physician immediately

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled	Recover free product. Conforms to state and local regulations.
Waste Disposal Method	In accordance with local regulations.
Precautions to Be taken in Handling and Storing	Store at room temperature.
Other Precautions	Do not use around open flame.

Section VIII - Control Measures

Respiratory Protection (Specify Type)	Not Required.
Ventilation Local Exhaust	Not Required Special None Required
Mechanical (General)	Not Required Other None Required
Protective Gloves None Required	Eye Protection Not Required
Other Protective Clothing or Equipment	Not Required
Work/Hygienic Practices	Clean, safe work practices

