

**MONSANTO COMPANY**  
Safety Data Sheet  
Commercial Product

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product name**

**Roundup PRO® Concentrate Herbicide**

**EPA Reg. No.**

524-529

**Chemical name**

Not applicable.

**Synonyms**

None.

**Company**

MONSANTO COMPANY, 800 N. Lindbergh Blvd., St. Louis, MO, 63167

**Telephone:** 800-332-3111, **Fax:** 314-694-5557

**E-mail:** safety.datasheet@monsanto.com

**Emergency numbers**

FOR CHEMICAL EMERGENCY, SPILL LEAK, FIRE, EXPOSURE, OR ACCIDENT Call CHEMTREC - Day or Night: 1-800-424-9300 toll free in the continental U.S., Puerto Rico, Canada, or Virgin Islands. For calls originating elsewhere: 703-527-3887 (collect calls accepted).

FOR MEDICAL EMERGENCY - Day or Night: +1 (314) 694-4000 (collect calls accepted).

---

## 2. HAZARDS IDENTIFICATION

**Emergency overview**

**Appearance and odour (colour/form/odour):** Pale amber - Pale brown / Liquid, (viscous) / Slight

CAUTION!

CAUSES MODERATE EYE IRRITATION

**Potential health effects**

**Likely routes of exposure**

Skin contact, eye contact, inhalation

**Eye contact, short term**

Causes moderate but temporary eye irritation.

**Skin contact, short term**

Not expected to produce significant adverse effects when recommended use instructions are followed.

**Inhalation, short term**

Not expected to produce significant adverse effects when recommended use instructions are followed.

**Single ingestion**

Not expected to produce significant adverse effects when recommended use instructions are followed.

Refer to section 11 for toxicological and section 12 for environmental information.

**OSHA Status**

This product is hazardous according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

---

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Active ingredient**

Isopropylamine salt of N-(phosphonomethyl)glycine; {Isopropylamine salt of glyphosate}

### Composition

COMPONENT	CAS No.	% by weight (approximate)
Isopropylamine salt of glyphosate	38641-94-0	50.2
Surfactant	61791-26-2	13
Other ingredients		36.8

The specific chemical identity is being withheld because it is trade secret information of Monsanto Company.

## 4. FIRST AID MEASURES

Use personal protection recommended in section 8.

### Eye contact

If in eyes, hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

### Skin contact

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

### Inhalation

If inhaled, move person to fresh air. If person is not breathing, call emergency number or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

### Ingestion

Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison center or doctor. Do not give anything by mouth to an unconscious person.

### Advice to doctors

This product is not an inhibitor of cholinesterase.

### Antidote

Treatment with atropine and oximes is not indicated.

## 5. FIRE-FIGHTING MEASURES

### Flash point

Does not flash.

### Extinguishing media

Recommended: Water, foam, dry chemical, carbon dioxide (CO<sub>2</sub>)

### Unusual fire and explosion hazards

Minimise use of water to prevent environmental contamination.  
Environmental precautions: see section 6.

### Hazardous products of combustion

Carbon monoxide (CO), nitrogen oxides (NO<sub>x</sub>), phosphorus oxides (P<sub>x</sub>O<sub>y</sub>)

### Fire fighting equipment

Self-contained breathing apparatus.  
Equipment should be thoroughly decontaminated after use.

---

## 6. ACCIDENTAL RELEASE MEASURES

### Environmental precautions

#### SMALL QUANTITIES:

Low environmental hazard.

#### LARGE QUANTITIES:

Minimise spread.

Keep out of drains, sewers, ditches and water ways.

### Methods for cleaning up

Contain spillage with sand bags or other means.

Absorb in earth, sand or absorbent material.

Dig up heavily contaminated soil.

Collect in containers for disposal.

Refer to section 7 for types of containers.

Flush residues with small quantities of water.

Minimise use of water to prevent environmental contamination.

Refer to section 13 for disposal of spilled material.

Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

---

## 7. HANDLING AND STORAGE

Good industrial practice in housekeeping and personal hygiene should be followed.

### Handling

Avoid contact with eyes, skin and clothing.

When using do not eat, drink or smoke.

Wash hands thoroughly after handling or contact.

Wash contaminated clothing before re-use.

Thoroughly clean equipment after use.

Do not contaminate drains, sewers and water ways when disposing of equipment rinse water.

Refer to section 13 of the safety data sheet for disposal of rinse water.

Emptied containers retain vapour and product residue.

FOLLOW LABELLED WARNINGS EVEN AFTER CONTAINER IS EMPTIED.

### Storage

Compatible materials for storage: stainless steel, fibreglass, plastic, glass lining

Incompatible materials for storage: unlined mild steel, galvanised steel, see section 10.

Keep out of reach of children.

Keep away from food, drink and animal feed.

Keep only in the original container.

Keep container tightly closed in a cool, well-ventilated place.

Recommended maximum shelf life: 2 years.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Airborne exposure limits

Components	Exposure Guidelines
Isopropylamine salt of glyphosate	No specific occupational exposure limit has been established.
Surfactant	No specific occupational exposure limit has been established.
Other ingredients	No specific occupational exposure limit has been established.

### Engineering controls

No special requirement when used as recommended.

### Eye protection

If there is significant potential for contact:  
Wear chemical goggles.

### Skin protection

If repeated or prolonged contact:  
Wear chemical resistant gloves.  
Applicators and other handlers must wear:  
Wear long sleeved shirt, long pants and shoes with socks.

### Respiratory protection

No special requirement when used as recommended.

When recommended, consult manufacturer of personal protective equipment for the appropriate type of equipment for a given application.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specifications for the product.

Colour/colour range:	Pale amber - Pale brown
Odour:	Slight
Form:	Liquid, (viscous)
Physical form changes (melting, boiling, etc.):	
Melting point:	Not applicable.
Boiling point:	No data.
Flash point:	Does not flash.
Explosive properties:	No data.
Auto ignition temperature:	No data.
Specific gravity:	1.199 @ 20 °C /@ 15.6 °C
Vapour pressure:	No significant volatility; aqueous solution.
Vapour density:	Not applicable.
Evaporation rate:	No data.
Dynamic viscosity:	No data.
Kinematic viscosity:	No data.
Density:	1.199 g/cm <sup>3</sup>
Solubility:	Water: Soluble
pH:	4.8
Partition coefficient:	log Pow: -3.2 @ 25 °C (glyphosate)

---

## 10. STABILITY AND REACTIVITY

### Stability

Stable under normal conditions of handling and storage.

### Oxidizing properties

No data.

### Materials to avoid/Reactivity

Reacts with galvanised steel or unlined mild steel to produce hydrogen, a highly flammable gas that could explode.

### **Hazardous decomposition**

Thermal decomposition: Hazardous products of combustion: see section 5.

### **Self-accelerating decomposition temperature (SADT)**

No data.

---

## **11. TOXICOLOGICAL INFORMATION**

This section is intended for use by toxicologists and other health professionals.

Data obtained on similar products and on components are summarized below.

### **Similar formulation**

#### **Acute oral toxicity**

**Rat, LD50:** > 5,000 mg/kg body weight

Practically non-toxic.

FIFRA category IV.

#### **Acute dermal toxicity**

**Rat, LD50:** > 5,000 mg/kg body weight

Practically non-toxic.

FIFRA category IV.

#### **Skin irritation**

**Rabbit, 6 animals, OECD 404 test:**

Days to heal: 10

Primary Irritation Index (PII): 1.7/8.0

Slight irritation.

FIFRA category IV.

#### **Eye irritation**

**Rabbit, 6 animals, OECD 405 test:**

Days to heal: 7

Moderate irritation.

FIFRA category III.

#### **Acute inhalation toxicity**

**Rat, LC50, 4 hours, aerosol:**

Practically non-toxic.

FIFRA category IV.

No 4-hr LC50 at the maximum achievable concentration.

#### **Skin sensitization**

**Guinea pig, 3-induction Buehler test:**

Positive incidence: 0 %

Negative.

No skin sensitization

### **N-(phosphonomethyl)glycine; { glyphosate}**

#### **Mutagenicity**

**In vitro and in vivo mutagenicity test(s):**

Not mutagenic.

#### **Repeated dose toxicity**

**Rabbit, dermal, 21 days:**

NOAEL toxicity: > 5,000 mg/kg body weight/day

Target organs/systems: none

Other effects: none

**Rat, oral, 3 months:**

NOAEL toxicity: > 20,000 mg/kg diet  
Target organs/systems: none  
Other effects: none

**Chronic effects/carcinogenicity**

**Mouse, oral, 24 months:**

NOAEL toxicity: ~ 5,000 mg/kg diet  
Target organs/systems: liver  
Other effects: decrease of body weight gain, histopathologic effects  
NOEL tumour: > 30,000 mg/kg diet  
Tumours: none

**Rat, oral, 24 months:**

NOAEL toxicity: ~ 8,000 mg/kg diet  
Target organs/systems: eyes  
Other effects: decrease of body weight gain, histopathologic effects  
NOEL tumour: > 20,000 mg/kg diet  
Tumours: none

**Toxicity to reproduction/fertility**

**Rat, oral, 2 generations:**

NOAEL toxicity: 10,000 mg/kg diet  
NOAEL reproduction: > 30,000 mg/kg diet  
Target organs/systems in parents: none  
Other effects in parents: decrease of body weight gain  
Target organs/systems in pups: none  
Other effects in pups: decrease of body weight gain  
Effects on offspring only observed with maternal toxicity.

**Developmental toxicity/teratogenicity**

**Rat, oral, 6 - 19 days of gestation:**

NOAEL toxicity: 1,000 mg/kg body weight  
NOAEL development: 1,000 mg/kg body weight  
Other effects in mother animal: decrease of body weight gain, decrease of survival  
Developmental effects: weight loss, post-implantation loss, delayed ossification  
Effects on offspring only observed with maternal toxicity.

**Rabbit, oral, 6 - 27 days of gestation:**

NOAEL toxicity: 175 mg/kg body weight  
NOAEL development: 175 mg/kg body weight  
Target organs/systems in mother animal: none  
Other effects in mother animal: decrease of survival  
Developmental effects: none

---

## 12. ECOLOGICAL INFORMATION

This section is intended for use by ecotoxicologists and other environmental specialists.

Data obtained on similar products and on components are summarized below.

**Similar formulation**

**Aquatic toxicity, fish**

**Rainbow trout (*Oncorhynchus mykiss*):**

Acute toxicity, 96 hours, static, LC50: 5.4 mg/L  
Moderately toxic.

**Bluegill sunfish (*Lepomis macrochirus*):**

Acute toxicity, 96 hours, static, LC50: 7.3 mg/L  
Moderately toxic.

**Aquatic toxicity, invertebrates**

**Water flea (*Daphnia magna*):**

Acute toxicity, 48 hours, static, EC50: 11 mg/L  
Slightly toxic.

**Avian toxicity**

**Mallard duck (*Anas platyrhynchos*):**

Dietary toxicity, 5 days, LC50: > 5,620 mg/kg diet  
Practically non-toxic.

**Bobwhite quail (*Colinus virginianus*):**

Dietary toxicity, 5 days, LC50: > 5,620 mg/kg diet  
Practically non-toxic.

**Arthropod toxicity**

**Honey bee (*Apis mellifera*):**

Oral/contact, 48 hours, LD50: > 100 µg/bee  
Practically non-toxic.

**Soil organism toxicity, invertebrates**

**Earthworm (*Eisenia foetida*):**

Acute toxicity, 14 days, LC50: > 1,250 mg/kg soil  
Practically non-toxic.

**Similar formulation**

**Aquatic toxicity, algae/aquatic plants**

**Green algae (*Selenastrum capricornutum*):**

Acute toxicity, 72 hours, static, EbC50 (biomass): 12.4 mg/L  
Slightly toxic.

**N-(phosphonomethyl)glycine: { glyphosate }**

**Bioaccumulation**

**Bluegill sunfish (*Lepomis macrochirus*):**

Whole fish: BCF: < 1  
No significant bioaccumulation is expected.

**Dissipation**

**Soil, field:**

Half life: 2 - 174 days  
Koc: 884 - 60,000 L/kg  
Adsorbs strongly to soil.

**Water, aerobic:**

Half life: < 7 days

---

## 13. DISPOSAL CONSIDERATIONS

**Product**

Keep out of drains, sewers, ditches and water ways.  
Recycle if appropriate facilities/equipment available.  
Burn in proper incinerator.  
Follow all local/regional/national/international regulations.

**Container**

See the individual container label for disposal information.  
Triple or pressure rinse empty containers.  
Pour rinse water into spray tank.  
Store for collection by approved waste disposal service.  
Recycle if appropriate facilities/equipment available.  
Emptied containers retain vapour and product residue.  
Observe all labelled safeguards until container is cleaned, reconditioned or destroyed.  
Follow all local/regional/national/international regulations.  
Do NOT re-use containers for any purpose other than for the storage of pesticides, if allowed by label.

Use handling recommendations in Section 7 and personal protection recommendations in Section 8.

---

## 14. TRANSPORT INFORMATION

The data provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment for transportation.

Not hazardous under the applicable DOT, ICAO/IATA, IMO, TDG and Mexican regulations.

---

## 15. REGULATORY INFORMATION

### TSCA Inventory

All components are on the US EPA's TSCA Inventory

### OSHA Hazardous Components

Surfactant(s)

### SARA Title III Rules

Section 311/312 Hazard Categories

Immediate

Section 302 Extremely Hazardous Substances

Not applicable.

Section 313 Toxic Chemical(s)

Not applicable.

### CERCLA Reportable quantity

Not applicable.

---

## 16. OTHER INFORMATION

The information given here is not necessarily exhaustive but is representative of relevant, reliable data.

Follow all local/regional/national/international regulations.

Please consult supplier if further information is needed.

In this document the British spelling was applied.

|| Significant changes versus previous edition.

	Health	Flammability	Instability	Additional Markings
NFPA	1	1	1	

0 = Minimal hazard, 1 = Slight hazard, 2 = Moderate hazard, 3 = Severe hazard, 4 = Extreme hazard

Full denomination of most frequently used acronyms. BCF (Bioconcentration Factor), BOD (Biochemical Oxygen Demand), COD (Chemical Oxygen Demand), EC50 (50% effect concentration), ED50 (50% effect dose), I.M. (intramuscular), I.P. (intraperitoneal), I.V. (intravenous), Koc (Soil adsorption coefficient), LC50 (50% lethality concentration), LD50 (50% lethality dose), LDLo (Lower limit of lethal dosage), LEL (Lower Explosion Limit), LOAEC (Lowest Observed Adverse Effect Concentration), LOAEL (Lowest Observed Adverse Effect Level), LOEC (Lowest Observed Effect Concentration), LOEL (Lowest Observed Effect Level), MEL (Maximum Exposure limit), MTD (Maximum Tolerated Dose), NOAEC (No Observed Adverse Effect Concentration), NOAEL (No Observed Adverse Effect Level), NOEC (No Observed Effect Concentration), NOEL (No Observed Effect Level), OEL (Occupational Exposure Limit), PEL (Permissible Exposure Limit), PII (Primary Irritation Index), Pow (Partition coefficient n-octanol/water), S.C. (subcutaneous), STEL (Short-Term Exposure Limit), TLV-C (Threshold Limit Value-Ceiling), TLV-TWA (Threshold Limit Value - Time Weighted Average), UEL (Upper Explosion Limit)

<p>This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-APPROVED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products are regulated by</p>
--



the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, MONSANTO Company or any of its subsidiaries makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for the purposes prior to use. In no event will MONSANTO Company or any of its subsidiaries be responsible for damages of any nature whatsoever resulting from the use of or reliance upon information. **NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR TO THE PRODUCT TO WHICH INFORMATION REFERS.**